

Exclusively from
CBC® Flooring

TOLI Lightwood®

LUXURY VINYL TILE



COMMERCIAL
PLANK FLOORING

CBC Flooring

TOLI Lightwood



7262E Natural Maple



1022 Golden Oak

Go with the grain.

What you need is quality flooring that stands up to high volume traffic. What you want is the rich beauty of natural wood without the warping, scratching and staining that can compromise real wood flooring. The solution? Go with Lightwood from TOLI International. Specially engineered for schools, hospitals, restaurants, retail environments and other demanding commercial areas, surface embossed Lightwood is hands down the most realistic, yet most practical resilient plank flooring around.

Trust the experience. Trust TOLI.

GET SAMPLES FAST 919-230-8700 cbcflooring.com

Questions? Give us a call, we're ready to help you create your next great space.

It's everything real wood wishes it were.

The highest quality films are used to give Lightwood the finely detailed wood grain appearance of natural oak, maple, cherry, cedar and other attractive wood species. It's available in 26 rich shades, in 4" and 6" planks. But that's where the similarity to real wood ends and the advantages of Lightwood begin. An extended construction process ensures Lightwood is dimensionally stable, which allows for a safe and secure installation. It also provides a higher PSI and greater resistance to indentations for long life. Lightwood has outstanding acoustical properties, too. And, while it can be waxed where a high gloss is preferred, Lightwood's low luster wear surface stands up to heat, cold, spills and heavy foot traffic with or without wax.



7850E Classic Maple

4" PLANKS



7261E

Bleached Maple



7262E

Natural Maple



3206E

Natural Bamboo



3207E

Carbonized Bamboo



7613E

matches 7813E

Medium Chestnut

IDEAL FOR HIGH TRAFFIC APPLICATIONS



HEALTHCARE



EDUCATION



RETAIL

4" PLANKS



1021

Honey Oak



7671E

matches 7871E

Cedar Plank



1022

Golden Oak



3212E

Brazilian Cherrywood



7043

Red Oak



7281E

Light Cherrywood



7023

Medium Oak



7282E

Classic Cherrywood



7850E Classic Maple



7681E

matches 7881

Rustic Cherrywood



7283E

Dark Cherrywood

6" PLANKS



7871E Cedar Plank

Indulge your creative side.

Lightwood is available in a large selection of patterns and combines easily with other TOLI tile products for a limitless range of design possibilities.



7871E

matches 7671E

Cedar Plank



1911E

White Sycamore



7850E

Classic Maple



1916E

American Cherry



7813E

matches 7613E

Medium Chestnut



7881

matches 7681E

Rustic Cherrywood



7865

Stained Spruce



3516

Antique Plank



7866

Blackened Spruce

Recommended Product Applications

The following application chart is provided to aid in understanding where our flooring products are recommended for use. This application chart is a subjective recommendation and is predicated upon the adherence to proper installation techniques; specific location of installation; level of foot traffic; and the type and professional level of maintenance practiced on-site. As there is a wide range of variables within an environment and the characteristics of each application may vary significantly, please consult with your CBCA Flooring sales representative to determine which CBCA Flooring product is appropriate for your installation.



Healthcare/Hospital

	Mature Select	HVT I & HVT II	Piesta	Lightwood / Kareina Asento	Pathways/Stair Treads
Cafeterias/Dining/Break Area	★	★	★	★	★
Chapel, Worship Center	★	★	★	★	★
Corridor (exterior)					★
Corridor (interior)	★	★	★	★	★
Dialysis	★	★	★	★	
Elevator	★	★	★	★	★
Emergency Department	★	★	★	★	
Exam/Prep Room	★	★	★	★	
Gift Shop	★	★	★	★	★
Hydrotherapy Room	★				★
Hyperbaric Room	★	★	★	★	★
Intensive Care	★	★	★	★	
Labor Delivery Room	★	★	★	★	
Laboratory	★	★	★	★	
Lavatory	★	★	★	★	★
Lobby	★	★	★	★	★
Neonatal Intensive Care	★	★	★	★	
Nurse's Station	★	★	★	★	
Office/Admin/Conf. Room	★	★	★	★	★
Operating Room (Outpatient)	★	★		★	
Parking Garage Walkway/ Elevator (exterior)					★
Patient Room	★	★	★	★	
Pharmacy	★	★	★	★	★
Physical Therapy	★	★	★	★	★
Ramp (interior/exterior)					★
Scrub Area	★				★
Staff Lounge	★	★	★	★	★
Stairway/Landing (interior/ exterior)					★
Storage/Utility Room	★	★	★	★	★
Waiting Room	★	★	★	★	★



Assisted Living

	Mature Select	HVT I & HVT II	Lightwood / Kareina Asento	Piesta	Pathways/Stair Treads
Activity Room/Common Area	★	★	★	★	★
Beauty Salon/Barber Shop	★	★	★	★	★
Cafeteria/Dining/Break Area	★	★	★	★	★
Corridor (exterior)					★
Corridor (interior)	★	★	★	★	★
Doctor/Dentist Area	★	★	★	★	★
Elevator	★	★	★	★	★
Lobby	★	★	★	★	★
Office/Admin/Conf. Room	★	★	★	★	★
Pharmacy	★	★	★	★	★
Poolside (interior/exterior)					★
Ramp (interior/exterior)					★
Residence Bathroom	★	★	★	★	★
Residence Kitchen	★	★	★	★	★
Residence Room	★	★	★	★	
Staff Lounge	★	★	★	★	★
Stairway/Landing (interior/ exterior)					★
Storage/Utility Room	★	★	★	★	★



Hospitality

	Mature Select	HVT I & HVT II	Lightwood / Kareina Asento	Piesta	Pathways/Stair Treads
Balcony/Deck					★
Cafeteria/Dining/Break Area	★	★	★	★	★
Corridor (exterior)					★
Corridor (interior)	★	★	★	★	★
Dance Floor	★			★	
Elevators	★	★	★	★	★
Exercise Rooms	★	★		★	★
Guest Bathrooms	★	★	★	★	★
Guest Rooms	★	★		★	
Lobby	★	★	★	★	★
Lounges	★	★	★	★	★
Office/Admin/Conf. Room	★	★	★	★	★
Parking Garage Walkway/ Elevator (exterior)					★
Poolside (interior/exterior)					★
Ramp (interior/exterior)					★
Restaurant (dining area)/Bar	★	★	★	★	★
Stairway/Landing (interior/ exterior)					★
Storage/Utility Room	★	★	★	★	★
Vending Area	★	★	★	★	★

★ Recommended

Recommended Product Applications



Retail

	Mature Select	HVT I & HVT II	Piesta	Lightwood / Kareina Asento	Pathways/Stair Treads
Automobile Showroom	★	★	★	★	★
Cafeteria/Dining/Break Area	★	★	★	★	★
Checkout	★	★	★	★	★
Drug Store	★	★	★	★	★
Entryway/Foyer	★	★	★	★	★
Fast Food Counter (Front)	★	★	★	★	★
Indoor Mall Common Area	★	★	★	★	★
Laundromat	★	★	★	★	★
Lavatory	★	★	★	★	★
Office/Admin/Conf. Room	★	★	★	★	★
Parking Garage Walkway/ Elevator (exterior)					★
Pet Shop	★	★	★	★	★
Ramp (interior/exterior)					★
Sales Floor-Department Store	★	★	★	★	★
Sales Floor-Grocery	★	★	★	★	★
Sales Floor-Grocery Produce Area (wet)					★
Sales Floor-Mass Merchandiser	★	★	★	★	★
Specialty Shop/Boutique	★	★	★	★	★
Stairway/Landing (interior/ exterior)					★



Office

	Mature Select	HVT I & HVT II	Lightwood / Kareina Asento	Piesta	Pathways/Stair Treads
Break Area/Vending Area	★	★	★	★	★
Cafeteria/Dining Area	★	★	★	★	★
Corridor (exterior)					★
Corridor (interior)	★	★	★	★	★
Elevator	★	★	★	★	★
Entryway/Foyer	★	★	★	★	★
Lavatory	★	★	★	★	★
Lobby	★	★	★	★	★
Office/Admin/Conf. Room	★	★	★	★	★
Parking Garage Walkway/ Elevator (exterior)					★
Ramp (interior/exterior)					★
Stairway/Landing (interior/ exterior)					★
Storage/Utility Room	★	★	★	★	★



Education

	Mature Select	HVT I & HVT II	Lightwood / Kareina Asento	Piesta	Pathways/Stair Treads
Auditorium	★	★	★	★	★
Cafeteria/Dining/Break Area	★	★	★	★	★
Classroom	★	★	★	★	★
Corridor (exterior)					★
Corridor (interior)	★	★	★	★	★
Dormitory Common Area	★	★	★	★	★
Dormitory Room	★	★	★	★	
Elevator	★	★	★	★	★
Entryway/Foyer	★	★	★	★	★
Laboratory	★	★	★	★	
Lavatory	★	★	★	★	★
Library	★	★	★	★	★
Locker Room (no metal spikes)					★
Multipurpose/Cafeteria		★	★	★	★
Nurses Office/Infirmery	★	★		★	★
Office/Admin/Conf. Room	★	★	★	★	★
Parking Garage Walkway/ Elevator (exterior)					★
Poolside (interior/exterior)					★
Ramp (interior/exterior)					★
Stairway/Landing (interior/ exterior)					★
Storage/Utility Room	★	★	★	★	★
Teacher's Lounge	★	★	★	★	★



Institutional

	Mature Select	HVT I & HVT II	Lightwood / Kareina Asento	Piesta	Pathways/Stair Treads
Airport-Baggage Claim		★	★	★	★
Airport-Check In/Security		★	★	★	★
Airport-Gate Area	★	★	★	★	★
Airport-Jet Bridge					★
Airport-Office	★	★	★	★	★
Airport-Retail	★	★	★	★	★
Arena/Stadium (exterior)					★
Arena/Stadium (interior)	★	★	★	★	★
Cafeteria/Dining/Break Area	★	★	★	★	★
Church	★	★	★	★	★
Civic/Convention Center	★	★	★	★	★
Corridor (exterior)					★
Corridor (interior)	★	★	★	★	★
Courthouse	★	★	★	★	★
Funeral Home	★	★	★	★	★
Lavatory	★	★	★	★	★
Library	★	★	★	★	★
Museum	★	★	★	★	★
Office/Admin/Conf. Room	★	★	★	★	★
Parking Garage Walkway/ Elevator (exterior)					★
Poolside (interior/exterior)					★
Prison	★	★	★	★	★
Ramp (interior/exterior)					★
Stairway/Landing (interior/ exterior)					★
Storage/Utility Room	★	★	★	★	★
Water Park					★

★ Recommended

Resistance to Staining & Chemicals per ASTM F 925

Agent	Surface Dulling				Surface Attack				Color Change			
	Mature Select	Kareina Asento	Homogeneous Vinyl Tile	Pathways / Stair Treads	Mature Select	Kareina Asento	Homogeneous Vinyl Tile	Pathways / Stair Treads	Mature Select	Kareina Asento	Homogeneous Vinyl Tile	Pathways / Stair Treads
Acetic Acid - 5%	0	0	0	0	0	0	0	0	0	0	0	0
Acetic Acid - 28%	0	0	0	0	0	0	0	0	0	0	0	0
Ammonia - 5%	0	0	0	0	0	0	0	0	0	0	0	0
Ammonium Hydroxide - 10%	0	0	0	0	0	0	0	0	0	0	0	0
Ammonium Hydroxide - 30%	0	0	0	0	0	0	0	0	0	0	0	0
Aniline Blue - 2.5%	0	0	0	0	0	0	0	0	1	0	3	2
Bleach - 5%	0	0	0	0	0	0	0	0	0	0	0	0
Dialysis Solution	0	0	0	0	0	0	0	0	0	3	0	0
Ethyl (Denatured) Alcohol	0	0	0	0	0	0	0	0	0	0	0	0
Formaldehyde - 37%	0	0	0	0	0	0	0	0	0	0	0	0
Giesma Blood Stain	0	0	0	0	0	0	0	0	3	3	3	3
Hand Sanitizer (Alcohol Based)	0	0	0	0	0	0	0	0	0	0	0	0
Hema 3 Solution	0	0	0	0	0	0	0	0	0	0	0	0
Hydrochloric Acid - 5%	0	0	0	0	0	0	0	0	0	0	0	0
Hydrochloric Acid - 38%	0	0	0	0	0	0	0	0	0	0	0	0
Hydrogen Peroxide - 30%	0	0	0	0	0	0	0	0	0	0	0	0
Kerosene	0	0	0	0	0	0	0	0	0	0	0	0
Mineral Oil	0	0	0	0	0	0	0	0	0	0	0	0
Olive Oil	0	0	0	0	0	0	0	0	0	1	0	0
Phenol - 5%	0	0	0	0	0	0	0	0	0	1	1	0
Phenolic Disinfectant Cleaner	0	0	0	0	0	0	0	0	0	1	0	2
Potassium Hydroxide - 15%	0	0	0	0	0	0	0	0	0	0	0	0
Quaternary Disinfectant Cleaner	0	0	0	0	0	0	0	0	0	1	0	0
Rubbing Alcohol (5% Isopropyl)	0	0	0	0	0	0	0	0	0	0	0	0
Sodium Hydroxide - 5%	0	0	0	0	0	0	0	0	0	0	0	0
Sodium Hydroxide - 15%	0	0	0	0	0	0	0	0	0	0	0	0
Sodium Hydroxide - 50%	0	0	0	0	0	0	0	0	0	0	0	0
Sulfuric Acid - 5%	0	0	0	0	0	0	0	0	0	0	1	0
Turpentine	0	0	0	0	0	0	0	0	0	0	0	0
Unleaded Gasoline (Regular Grade)	0	0	0	0	0	0	0	0	0	0	0	3
Uric Acid	0	0	0	0	0	0	0	0	0	1	0	0

0 - No Change

1 - Slight Change

2 - Moderate Change

3 - Severe Change

Notes:

According to ASTM, the F925 test method is subjective and test results are nonnumeric;
 This test is not a stain test - it is intended to determine the effect specific chemicals (or agents) will have on the surface of the flooring;
 The flooring product is tested without any applied sealers or floor finishes;
 For the most accurate results, CBC America recommends using the customer's chemicals on actual product samples that have been treated with the maintenance products to be used on the finished floor;
 Flooring sample material for testing is readily available from CBC America;
 For more detailed information, please contact CBC America.

Test Performance

ASTM F 1700 Standard Spec for Solid Vinyl Tile	Exceeds Requirements
ASTM F 925 Chemical Resistance	Passes
ASTM F 970 (Modified) Static Load Limit	1,000 PSI
ASTM C 1028 Static Coefficient of Friction	≥0.6 ADA Compliant
ASTM F 137 Flexibility	Passes
ASTM F 1514 Resistance to Heat	Passes
ASTM F 1515 Resistance to Light	Passes
CA 01350 VOC Emissions	Passes FloorScore Certified FS-03027 HPD currently available

Warranty

TOLI Lightwood is covered by a limited 10-year warranty. Visit our website, www.cbcflooring.com for complete details.


Product Characteristics

Standard Spec	ASTM F 1700
Classification	Class III Type A & B
Nominal Dimensions/ Packaging	4" x 35.4" (100mm x 900mm) 30 pcs/ctn (29.2 sf/ctn)
	6" x 35.6" (150 mm x 900 mm) 20 pcs/ctn (29.2 sf/ctn)
Overall Thickness	3.0mm (0.120")
Wearlayer Thickness	0.5mm (0.020")

Fire

ASTM E 648 Critical Radiant Flux	Class 1 (>0.45/sq cm)
ASTM E 662 Smoke Generation	<450 Passes

CBC Flooring is ISO 9001 and 14001 certified



USGBC-LEED Credits


Materials & Resources

Indoor Environmental Quality

Product	MR Credit 1.2: Building Reuse	MR Credit 2: Construction Waste Management	MR Credit 3.1: Material Reuse	Recycled Content Pre-Consumer	Recycled Content Post- Consumer	MR Credit 4: Recycled Content Contribution (Sum of post- consumer + 1/2 pre- consumer)	IEQ Credit 4.1: Low Emitting Materials - Adhesives	IEQ Credit 4.3: Low Emitting Materials - Flooring Systems
Lightwood	✓	✓	✓	18%	10%	19%	✓	✓

(✓) Based on the 2009 LEED rating system and the overall scope of your project TOLI Lightwood may contribute to your LEED scorecard.

GET SAMPLES FAST 919-230-8700 cbcflooring.com
Questions? Give us a call, we're ready to help you create your next great space.



Exclusively from
CBC Flooring

TOLI Lightwood

LUXURY VINYL TILE



COMMERCIAL
PLANK FLOORING



CERTIFIED BY
SCS Global Services



CBC Flooring is committed to advance sustainability

by marketing the finest flooring products from around the globe. Our EcoVision™ Policy supports environmental responsibility for the world we all share. We strive to reduce waste, limit the consumption of natural resources and preserve Earth's environment for future generations.

**For more information and sample requests,
contact CBC Flooring:**

919-230-8700

www.cbcflooring.com